



Corrigendum

Corrigendum to “Bidirectional barbed polydioxanone filament insertion in vastus medialis oblique muscle for knee osteoarthritis improvement” [The Knee 55 (2025) 1–11]



Sai-Won Kwon^a, Sung-Woo Choi^b, Byung-Hak Oh^c, Chang-Hyun Kim^a, Byung-Ryul Lee^a, Hyoung-Ye Kim^d, Mi-Ae Nam^d, Kang-San Lee^d, Dong-Woo Lee^{a,*}

^a Department of Orthopaedic Surgery, Soonchunhyang University Hospital Cheonan, Cheonan, Republic of Korea

^b Department of Orthopaedic Surgery, Soonchunhyang University Seoul Hospital, Seoul, Republic of Korea

^c Department of Orthopedic Surgery, Konyang University Hospital, Daejeon, Republic of Korea


^d Department of Regenerative & Reconstructive Medicine, Soonchunhyang University Hospital Cheonan, Cheonan, Republic of Korea

The authors regret to inform that there was an error in Figure 6 of the published article. Specifically, the data presented in the control group at **Visit 4** does not accurately reflect the values reported in Table 7.

The correct value for the control group at Visit 4 should be **35.79**, as shown in Table 7. We have attached a corrected version of Figure 6 that accurately represents the data.

We apologize for this oversight and any confusion it may have caused to readers.

Corrected Figure 6:



DOI of original article: <https://doi.org/10.1016/j.knee.2025.03.006>

* Corresponding author at: Department of Orthopaedic Surgery, Soonchunhyang University Hospital Cheonan, 31 Suncheonhyang 6-gil, Dongnam-gu, Cheonan 31151, Republic of Korea.

E-mail address: 122923@schmc.ac.kr (D.-W. Lee).

<https://doi.org/10.1016/j.knee.2025.05.004>

0968-0160/© 2025 Elsevier B.V. All rights are reserved, including those for text and data mining, AI training, and similar technologies.